



प. १०७

मुचुल्का

यस राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम, कार्यक्रम कार्यान्वयन एकाइ, रामेछापले मिति २०८२।०७।२१ गते प्लास्टिक क्रेट, कार्टुन बक्स, थोपा सिंचाई र स्प्रिङ्गलर सिंचाई, ग्रीनहाउस, कोल्ड रुम लगायतको दरभाउपत्र पेश गर्ने सम्बन्धी सूचना (सूचना नं ११-१६) प्रकाशन गरिएकोमा आज मिति २०८२।०८।११ गते साँझ ४ बजे पढि दरभाउपत्र पेश गर्ने म्याद समाप्त भएकोले देहायको रोहवरमा शिलबन्दी दरभाउ पत्रको दर्ता खाता बन्द गरि यो मुचुल्कामा सहिछाप गरियो।

पेश भएका दरभाउपत्रका विवरण:-

सि.नं.	सामाग्रीहरू	दरभाउपत्र-सं	पेश भएका क्रम संख्या
१.	प्लास्टिक क्रेट	८	१, ५, १०, १२, १८, १९, २०, २१
२.	कार्टुन बक्स	२	६, ९
३.	थोपा सिंचाई र स्प्रिङ्गलर सिंचाई प्रविधि	६	३, ४, ८, १३, १८, १९, २०
४.	ग्रीनहाउस निर्माण	६	३, ६, ११, १५, १८, १९, २०
५.	कोल्ड रुम निर्माण	४	३, ५, १६, १७

रोहवर:-

सरकारी कार्यालयको प्रतिनिधि				दरभाउपत्र पेश गर्ने संचालक / प्रतिनिधि			
क्र.सं.	नाम	कार्यालय/संस्था	दस्तखत	क्र.सं.	नाम	कम्पनी	दस्तखत
१.	राजन परियार (व.सू. शाखेन्द्र)	कार्यक्रम कार्यान्वयन स्वा.सं. रामेछाप	१०७	१.	दिपक सापकोटा	भाण्डोटा स्टोर	१०८
२.	इपेन्द्र चौबरी (व.सू. शाखेन्द्र)	कृषि विकास कार्यालय, रामेछाप	१०९	२.	बब्री थापा	ए एण्ड बी नेसिनरी सप्लायर	११०
३.	विद्वान आर्जन (व.सू. शाखेन्द्र)	का.का.स	१११	३.			
४.	महेन्द्र श्रेष्ठ (लेखापाल)	का.ले.नि.का रामेछाप	११२	४.			
५.	श्याम कान्छा (ना.प्रा.स)	का.का.स. रामेछाप	११३	५.			
६.	बल कथाण मगर (ना.प्रा.स)	" "	११४				
७.	सुवास ठाडा (ना.प.से.प्रा)	" "	११५				
८.	शर्लता गिरी (ना.प.से.प्रा)	" "	११६				



प्र. १००

सरकारी कार्यालयको प्रतिनिधि				वरभाउपत्र पेश गर्ने संचालक / प्रतिनिधि			
क्र.सं.	नाम	कार्यालय/संस्था	दस्तखत	क्र.सं.	नाम	कम्पनी	दस्तखत
१०.	अम्बिका थापा (ता.पा.स)	का.का.स रामेछाप	अम्बिका				
११.	अरुण शर्मा (का.स)	" "	अरुण				
१२.	विमला शर्मा (का.स)	" "	विमला				
१३.	मनोज शर्मा (ह.स.चा)	" "	मनोज				
१४.	जयजोत् शर्मा	" "	जयजोत्				
१५.							
१६.							
१७.							
१८.							
१९.							
२०.							

मुचुल्का



यस राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम, कार्यक्रम कार्यान्वयन एकाइ, रामेछापले मिति २०८२।०७।२१ गते प्लास्टिक क्रेट, कार्टुन बक्स, थोपा सिंचाई/स्प्रिङ्गलर सिंचाई, ग्रीनहाउस, कोल्ड रुम लगायत सामग्रीहरूको दरभाउपत्र पेश गर्ने सम्बन्धी सूचना (सूचना नं ११-१६) प्रकाशन गरिएकोमा हिजो मिति २०८२।०८।११ गते साँझ ४ बजे दरभाउपत्र पेश गर्ने म्याद समाप्त भएको र आज मिति २०८२।०८।१२ गते दिनको ठिक ३:३० बजे देहायको रोहवरमा शिलबन्दी दरभाउ पत्रको शिलबन्दी खोली यो मुचुल्कामा सहिछाप गरियो।

पेश भएका दरभाउपत्रका शिलबन्दी (लाहा छाप) विवरण:-

क्र.सं.	सप्लायर्सको नाम र ठेगाना	कार्यक्रमको नाम	लाहा छाप लगाइएको संख्या
१.	रामेछाप कृषि सामग्री सप्लायर्स, मन्थली-१, रामेछाप	सूचना नं ११- प्लास्टिक क्रेट	७
२.	मल्टी भेन्चर प्रा. लि., विशालनगर, काठमाडौं	सूचना नं १५- कोल्ड रुम	७
३.	किसान एग्रीकल्चर प्रा. लि., सातदोबाटो, ललितपुर	सूचना नं १३- सिंचाई	३
		सूचना नं १४- ग्रीन हाउस	३
४.	ग्रीनलाइफ एग्रीकल्चर सोलुसन, मन्थली-१, रामेछाप	सूचना नं ११- प्लास्टिक क्रेट	३
६.		सूचना नं १३- सिंचाई	३
७.		सूचना नं १४- ग्रीन हाउस	३
८.	ए एण्ड वी मेशिनरी सप्लायर्स, मन्थली-१, रामेछाप	सूचना नं ११- प्लास्टिक क्रेट	३
९.		सूचना नं १३- सिंचाई	३
१०.		सूचना नं १४- ग्रीन हाउस	३
१२.	एभिड एग्रीकल्चर प्रा. लि., बनेपा, काभ्रे	सूचना नं ११- प्लास्टिक क्रेट	३
१३.		सूचना नं १३- सिंचाई	३
१४.		सूचना नं १४- ग्रीन हाउस	३
१५.		सूचना नं १५- कोल्ड रुम	३
१६.	आस्क एग्रीकल्चर प्रा. लि., काठमाडौं	सूचना नं १५- कोल्ड रुम	३

9. Singh

१७.	आर. एम. एग्रोटैक प्रा.लि., काठमाडौं	सूचना नं १५- कोल्ड रम	३
१८.	पहिलो पाइला एग्रीकल्चर प्रा.लि., ललितपुर	सूचना नं ११, १३, १४	४
१९.	जी सेभेन एग्रीकल्चर प्रा.लि., ललितपुर	सूचना नं ११, १३, १४	६
२०.	ग्रीन गार्डेन कृषि फर्म प्रा.लि., ललितपुर	सूचना नं ११, १३, १४	४
२१.	सापकोटा स्टोर्स, मन्यली-१, मन्यली, रामेछाप	सूचना नं ११- प्लास्टिक क्रेट	३

रोहवर:-

सरकारी कार्यालयको प्रतिनिधि				दरभाउपत्र पेश गर्ने संचालक / प्रतिनिधि			
क्र.सं.	नाम, पद	कार्यालय/संस्था	दस्तखत	क्र.सं.	नाम	कम्पनी	दस्तखत
१.	राजन परियार (वरिष्ठ कृषि अधिकृत)	कार्यक्रम कार्यान्वयन एकाइ, रामेछाप		१.	सोमिता अर्जेंट	रामेछाप अर्जेंट सोमिता अर्जेंट	
२.	प्रमोद प्रसाद दाहाल (कार्यालय प्रमुख)	कृषि विकास कार्यालय, रामेछाप		२.	भानुका कडुवाल	ए एफ डी नेसनली अर्जेंट	
३.	दिनेश गौतम (नायब सूबा)	जिल्ला प्रशासन कार्यालय, रामेछाप		३.			
४.	महेन्द्र कुमार श्रेष्ठ (नेरवाण)	कोष तथा लेखा नियन्त्रण कार्यालय रामेछाप		४.			
५.	रघुनाथ अर्जेंट कर्णेल	उद्योग तथा वाणिज्य कार्यालय, रामेछाप		५.			
६.	गुञ्ज देहादुर कार्की	संयोजक, मुनार श्रीम, रामेछाप		६.			
७.	हिरालाल श्रेष्ठ	संयोजक, आलु श्रीम रामेछाप		७.			

प. शर्मा
 नेपाल प्रजासत्ताक
 राष्ट्रिय लोक आन्दोलन केन्द्र
 काठमाडौं

सरकारी कार्यालयको प्रतिनिधि				दरमाउपत्र पेश गर्ने संचालक / प्रतिनिधि			
क्र.सं.	नाम	कार्यालय/संस्था	दस्तखत	क्र.सं.	नाम	कम्पनी	दस्तखत
८.	शिव व. खड्का	श्री श्री अन्न भाण्डालय काठमाडौं	[Signature]				
९.	विजय शर्मा	कार्यक्रम कक्षा विभाग उकाड, रामेछाप	[Signature]				
१०.	उमिला चौलागाईं	कार्यक्रम कक्षा विभाग उकाड, रामेछाप	[Signature]				
११.	एलिना गिरी	"	[Signature]				
१२.	भद्रजना थापा	"	[Signature]				
१३.	रुपाम व. तामाङ	"	[Signature]				
१४.	बाल व. थापा क्वा	"	[Signature]				



सरकारी कार्यालयको प्रतिनिधि				दरभाउपत्र पेश गर्ने संचालक / प्रतिनिधि			
क्र.सं.	नाम	कार्यालय/संस्था	दस्तखत	क्र.सं.	नाम	कम्पनी	दस्तखत
१५.	सुवात ठाडा	भा.भा.प. रामेछाप					
१६.	भक्त ब. भाले	"	—				
१७.	दिगला श्रेष्ठ	"	दिगला				
१८.	सांजिव कु.सी	जोन प्राविषेडु स्वकार, दोलखा					
१९.	किरण खड्का	डिजी जोन संचालन समन्वय समिति					
२०.	जोशी र.कुमार	का.दा.प. पुनः					
२१.							
२२.							
२३.							
२४.							



आपूर्तिकर्ता तथा सप्लायर्सहरूबाट एकाइमा पेश भएका दरभाउपत्रहरूको आधारमा कागजात, तुलनात्मक चार्ट र मुल्यांकन समिति को मुल्यांकनका आधारमा प्लास्टिक क्रेट, थोपा सिंचाई तथा स्प्रिङ्कलर सिंचाई प्रणाली, स्थायी ग्रीनहाउस नर्सरी स्थापना र कोल्ड रुम निर्माण लगायतका कृषि सामग्रीहरूको न्यूनतम मूल्य (भ्याट सहित) देहाय बमोजिम कायम गर्ने निर्णय गरियो ।

१. प्लास्टिक क्रेट खरिद

S.N.	Descriptions	Specifications	Unit	Least Rate
1	Plastic Crate (Type 1)	Dimensions:- Not less than 540 mm* 350 mm* 270 mm; Capacity:- Not less than 45 Ltr (Weight of equivalent volume of water) and must have at least 20 kg capacity (fruits or vegetables); Weight of plastic crate:- Not less than 1.25 kg; Shape:- Rectangular; Material:- HDPE plastic of good quality and strength	Number	490
2	Plastic Crate (Type 2)	Dimensions: - Not less than 540 mm* 350 mm* 270 mm; Capacity: - Not less than 45 Ltr (Weight of equivalent volume of water) and must have at least 20 kg capacity (fruits or vegetables); Weight of plastic crate: - Not less than 1.5 kg; Shape:- Rectangular Material:- HDPE plastic of good quality and strength	Number	500

२. थोपा सिंचाई प्रणाली जडान र स्प्रिङ्कलर सिंचाई प्रणालीको विस्तारमा सहयोग

S.N.	Descriptions	Specifications	Unit	Least Rate
Group A: Head unit				
1	Hydrocyclone filter	2"	Set	16700
2	Screen filter	2"	Set	9000
		1.5"	Set	3500
3	Venturi injector	(3/4)"	Set	3000
4	Non-Return valve	2"	Pcs	500
5	Air release valve	(3/4)"	Pcs	900
6	Control valve	2"	Pcs	1650
7	Pressure gauge	(3/4)"	Pcs	1250
	Head unit (Manifold)	2"	Pcs	1000
	Head unit (Manifold)	2"	Pcs	3500
Group B: Main line and emitting lateral				
8	HDPE pipe (6kgf pressure)	63 mm	Mtr	200
		50 mm	Mtr	130
9	HDPE pipe lateral (4 kgf)	32 mm	Mtr	70
10	Plane lateral (polytube) of good quality; durable; uv resistant high density polyethylene (HDPE); wall thickness 1.2 mm	16 mm (indian origin)	Mtr	21
		16 mm (other)		
11	PVC pipe (4kgf)	63 mm	Mtr	200
		50 mm	Mtr	155
Group C: Fitting Accessories				
12	PVC gate valve	63mm	Pcs	1600
		50mm	Pcs	1200
13	Metal gate valve	63 mm	Pcs	4000
		50 mm	Pcs	3500
14	Iron gate valve with flange	63 mm	Pcs	3000
		50 mm	Pcs	3000
15	PVC ball valve	50 mm	Pcs	1400
16	Gate valve	32 mm (plane type)	Pcs	600
		32 mm (ring type)	Pcs	500
17	HDPE Tee	63 mm	Pcs	250
		50 mm	Pcs	200

Handwritten signatures and initials at the bottom of the page, including 'S. Sharma', 'P. Sharma', and others.



P. Singh

आपूर्तिकर्ता तथा सप्लायर्सहरूबाट एकाइमा पेश भएका दरभाउपत्रहरूको आधारमा कागजात, तुलनात्मक चार्ट र मुल्यांकन समिति को मुल्यांकनका आधारमा प्लास्टिक क्रेट, थोपा सिंचाई तथा स्प्रिङ्कलर सिंचाई प्रणाली, स्थायी ग्रीनहाउस नर्सरी स्थापना र कोल्ड रुम निर्माण लगायतका कृषि सामग्रीहरूको न्यूनतम मूल्य (ध्यात सहित) देहाय बमोजिम कायम गर्ने निर्णय गरियो।

18	PVC Tee	63 mm	Pcs	120
		50 mm	Pcs	85
19	PVC Elbow	16 mm	Pcs	15
		50 mm	Pcs	90
20	PVC Reducer	32 mm	Pcs	120
		63/50	Pcs	150
21	HDPE endcap	50/32	Pcs	140
		50 mm	Pcs	200
22	GI nipple	32 mm	Pcs	190
		16 mm	Pcs	10
23	Tank nipple	32 mm	Pcs	120
		63 mm	Pcs	800
24	Brass union	50 mm	Pcs	550
		32 mm	Pcs	450
25	Union joiner GI	50mm	Pcs	500
		32 mm	Pcs	300
26	GI socket	50 mm	Pcs	500
		32 mm	Pcs	150
27	FTA	63 mm	Pcs	150
		50 mm	Pcs	140
28	MTA	63 mm	Pcs	150
		50 mm	Pcs	140
29	Solvent	50 mm	Pcs	140
30	Seal tape		Ltr	1300
			Pcs	20
31	Water pump for sprinkler irrigation	0.5 hp	Pcs	8000
		1 hp	Pcs	10000
		2 hp	Pcs	14000
32	Mini sprinker (Plastic)		Pcs	130
	Mini sprinker with metal stand and 1 mtr hose of 12 mm	Irrigating capacity of a sprinker should be at least 6 mtr radius	Pcs	800
33	Emitting feeder	8 lph	Pcs	10
		4 lph	Pcs	10
		2 lph	Pcs	15
34	Lateral cock	16 mm- normal	Pcs	26
		16 mm- bighead	Pcs	32
35	Flush valve	50 mm	Pcs	200
36	GTO-grommet takeoff set		Pcs	12
37	Water tank	1000 ltr; Extra heavyweight; leakproof	Pcs	10000
38	Installation charge of drip and sprinkler system	Per unit area		50 per square metre
39	Rain gun sprinker with suitable 2 hp water pump	1.25 inch (rain gun size)		
40	Service saddle 50/32		Pcs	7000
			Pcs	500
41	Plastic for plastic pond (Blue Colour)	200 GSM	Sq. Mtr	12.25
		250 GSM	Sq. Mtr	15.5

[Handwritten signature]

[Multiple handwritten signatures and initials]



आपूर्तिकर्ता तथा सप्लायर्सहरूबाट एकाइमा पेश भएका दरभाउपत्रहरूको आधारमा कागजात, तुलनात्मक चार्ट र मुल्यांकन समिति को मुल्यांकनका आधारमा प्लास्टिक फ्रेट, धोपा सिंचाई तथा स्प्रिङ्कलर सिंचाई प्रणाली, स्थायी ग्रीनहाउस नर्सरी स्थापना र कोल्ड रुम निर्माण लगायतका कृषि सामग्रीहरूको न्यूनतम मूल्य (भ्याट सहित) देहाय बमोजिम कायम गर्ने निर्णय गरियो।

३. स्थायी ग्रीनहाउस नर्सरी स्थापना

S.N.	Descriptions	Specifications	Unit	Least Rate
1	UV plastic	UV stabilized 200 micron; 5 layers (anti-dust, anti-drip, diffused/infrared blocking having a minimum of 85% level of light transmittance)	Sq.mtr	
2	Insect Net	UV stabilized 40 mesh; at least 70 GSM	Sq.mtr	130
3	Fitting materials for greenhouse of good quality			80
a	F bracket	33/5 mm	Pcs	500
b	L bracket	33/5 mm	Pcs	450
c	T bracket	33/5 mm	Pcs	500
d	Elbow	42 mm	Pcs	450
e	Full Clamps	42 mm	Pcs	65
		48 mm	Pcs	70
		60 mm	Pcs	70
		76 mm	Pcs	75
f	Half clamps	42 mm	Pcs	45
		48 mm	Pcs	60
		60 mm	Pcs	65
		76 mm	Pcs	70
g	Curtain clamps	27 mm	Pcs	50
h	Universal joint		Pcs	1100
i	Nut bolts of high tensile strength and hot dip galvanized		Kg	350
j	Rolling handle			1500
4	GI profile and Zigzag	Galvanized steel -GI profile	Rm	62
		GI/Zinc coated zigzag wire/spring	Rm	30
5	Mulching plastic	40 micron	Roll	5300
6	Green net	Green colour of 50% shade factor	Sq.mtr.	27
		Green colour of 75% shade factor	Sq.mtr	50
7	Shade net	Aluminium uv stabilized 50% shade; at least 4.2 mtr wide	Sq.mtr	120
		White/black colour uv protected	Sq.mtr	50
8	Apron plastic	Uv stabilized; minimum 160 GSM	Sq.mtr	130
9	Four way fogger nozzle	Low pressure	Pcs	400
10	Exhaust fan/ slow axial fan	50 inch	Pcs	45000
11	Cooling pad	4 ft *2 mtr * 100 mm thick	Sq.ft	1150
12	Air circulation fan	24 inch	Pcs	28000
13	Gutter sheet	Plastic gutter uv-stabilized	Rm	600
		GI gutter	Rm	400
14	Rate of fitting of greenhouse structures	For less than 120 sq.mtr structure	Sq.mtr	250
		For structure above 120 sq.mtr. to 240 sq.mtr.	Sq. Mtr	300
		For structure above 240 sq.mtr	Sq. Mtr	350
15	Drip irrigation set excluding drum to be used inside greenhouse	8 line*12 metre; 16 mm polytube	Set	2700
16	Mist irrigation system set to be used inside greenhouse	HDPE water tank (source), main line, overhanging lateral, surface water pump 1 hp, screen filter, all necessary fittings, fogger nozzle system in 72 sqm area (6*12) with on/off electrical accessories	Set	35000

Handwritten signatures and initials at the bottom of the page, including 'S. Singh', 'G. Singh', and others.



Handwritten signature/initials

आपूर्तिकर्ता तथा सप्लायर्सहरूबाट एकाइमा पेश भएका बरभाउप्रहरूको आधारमा कागजात, गुणनात्मक चार्ट र मुल्यांकन समिति को मुल्यांकनका आधारमा प्लास्टिक फ्रेट, धोपा सिंचाई तथा स्प्रिङ्कलर सिंचाई प्रणाली, स्थायी ग्रीनहाउस नर्सरी स्थापना र कोल्ड रुम निर्माण लगायतका कृषि सामग्रीहरूको न्यूनतम मूल्य (भ्याट सहित) देहाय बमोजिम कायम गर्ने निर्णय गरियो ।

S.N.	Descriptions	Specifications	Unit	Least Rate
1	Insulation materials	Supply and complete installation of outer wall puff panel 80 mm thickness 0.5 mm PPGI sheet insulated by 40±2 kg/m ³ Polyurethane Foam with tongue and groove joint with camlock system including heat resistance insulation using silicon sealant etc complete	Sq.mtr	5252
		Supply and Complete installation of 80mm thick PUF Slab for Floor PUF density 40±2 Kg/m ³ Including 2mm Tarfelt Waterproofing Carpet	Sq.mtr	3023
		Supply and complete installation of door 80MM thickness thermally sealed flush type swing door with heavy duty hinges and handles with door closer for push type gasket. Aluminum Checker Kick plate on both Side of of door and safety release knob placed at inner side for safety precaution with door opening side as per requirement Door Opening at least 3 ft *7 ft	Number	52309
2	Refrigeration works	Supply and installation of reciprocating/ scroll type compressor of make emerson/ danfoss eq. make working refrigerant R410a, R134a or equivalent having cooling capacity (18000 to 24000) Btu/hr (at 4 degree celsius evaporation and condensation at 45 degree celsius) forced air cooled condenser with fan, copper tubings embeded with aluminium fins GI body powder coated painted, oil separator, liquid receiver, solenoid valve, filter dryer sight glass, e.t.c. all complete necessary accessories as per site incharge.	Number	120000
		Supply and installation of indoor evaporator unit (blue cold/carier/euro air) pure copper tubings thermostatic expansion valve of make danfoss/ emerson aluminium powder coated body with stainless steel SS 304 tray, energy efficient multiple propellor type axial fan 3 no per unit all necessary accessories as per site incharge	Number	74100
		Installation of refrigeration system with necessary hardwares and accessories	Number	12670
		Refrigeration control pannel microprocessor-based temperature indicator and automatic temperature controller, temperature setting up/down limit control, user parameter and administration menu setting up/down limit control, user parameter and administration menu setting automatic and manual control function, intelligent compressor protection	Number	25000
		Supply and wiring or installation of vapour proof lights (IP65 rating) 2 no in each chamber with switch system	Number	1400
3	Indoor Accessories	Supply and installation of humidifier (ultrasonic type), centrifugal, mist size 5-10 micron, single phase 70-90 watt capacity 3-6 ltr/hr dimensions 350*350*360 mm weight 8 kg air flow 165 m ³ /hr, water level auto control, controller display unit of machine shall be separate to machine and able to fix the outside in room.	Number	55000
		Carbondioxide and fresh air damper 2 Inline blower 150 CB	Number	44100
4	Electricals	Electrical control panel on off switch with indicators, contactor, phase indicator with preventor, MCD, protective overload relay fuse etc complete, 3 no 15 amp MCB (single phase) for external equipments, lights, motors, fans etc in cleaning grading area	Number	14500
5	Installation Charges			14500
6	Transportation Charges to the site			8500

Handwritten signatures and initials at the bottom of the page.

आपूर्तिकर्ता तथा सप्लायर्सहरूबाट एकाइमा पेश भएका दरभाउपत्रहरूको आधारमा कागजात र तुलनात्मक चार्ट को आधारमा निर्धारण गरिएको

S.N.	Descriptions	Specifications	Unit	Rate	Remarks
1	Plastic Crate (Type 1)	Dimensions:- Not less than 540 mm* 350 mm* 270 mm; Capacity:- Not less than 45 Ltr (Weight of equivalent volume of water) and must have at least 20 kg capacity (fruits or vegetables); Weight of plastic crate:- Not less than 1.25 kg; Shape:- Rectangular; Material:- HDPE plastic of good quality and strength	Number	490	Suppliers must provide a sample piece of both type of crate after getting notice from the office
2	Plastic Crate (Type 2)	Dimensions: - Not less than 540 mm* 350 mm* 270 mm; Capacity: - Not less than 45 Ltr (Weight of equivalent volume of water) and must have at least 20 kg capacity (fruits or vegetables); Weight of plastic crate: - Not less than 1.5 kg; Shape:- Rectangular ;Material:- HDPE plastic of good quality and strength	Number	500	
3	Drip irrigation system	for 100 plants (for sweet orange and kiwi)	Set	143450	Amount may vary depending upon the condition of site and necessity of farmers
4	Sprinkler irrigation system	for irrigating 1 hectare area (for potato) using 100 sprinklers	Set	250000	
5	Greenhouse (72-160 Sqm)	Dome GI (Galvanized Iron (6*12 Sqm)) Semi high tech GI (8*20 Sqm)	Set Set	250000 565130	
6	Cold room (5-10 ton capacity)	10*10*8 Cubic feet	Set	640755	Amount includes fitting of cold room accessories without truss work. Amount may vary depending upon the condition of site and necessity of farmers
		15*10*8 Cubic feet	Set	723315	
		20*10*8 Cubic feet	Set	800995	